

DCN: BSI-RPT-1064 , , Revision: 1.1 , Effective Date: 01 Jun 2023 .



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

ELEMENTAL IMPURITY ASSESSMENT
MATERIAL NAME: CYSTEAMINE HCl N02 2022

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 1 of 9

Printed By: CARLY.GUZZI , Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 1: ELEMENTAL IMPURITY ASSESSMENT

Analytical Method: BSI-ATM-0061, Method Validation Report: BSI-RPT-0590
 Degradation and Impurity Protocol: BSI-PRL-0415
 Degradation and Impurity Report: BSI-RPT-1100
 Manufacturing Process: BSI-PRL-0475 and BSI-PRL-0529
 Parenteral Specifications (10 g/day MDD)

Element	Class	¹ Limits 1.0J Target ppm (µg/g)	Limits 0.1J ppm (µg/g)
Cadmium (Cd)	1	0.04	0.004
Lead (Pb)	1	0.10	0.01
Arsenic (As)	1	0.30	0.03
Mercury (Hg)	1	0.06	0.006
Cobalt (Co)	2A	0.10	0.01
Vanadium (V)	2A	0.20	0.02
Nickel (Ni)	2A	0.40	0.04
Thallium (Tl)	2B	0.16	0.016
Gold (Au)	2B	2.0	0.20
Palladium (Pd)	2B	0.20	0.02
Iridium (Ir)	2B	0.20	0.02
Osmium (Os)	2B	0.20	0.02
Rhodium (Rh)	2B	0.20	0.02
Ruthenium (Ru)	2B	0.20	0.02
Selenium (Se)	2B	1.0	0.10
Silver (Ag)	2B	0.20	0.02
Platinum (Pt)	2B	0.20	0.02
Lithium (Li)	3	5.0	0.50

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 2 of 9

Printed By: CARLY.GUZZI . Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 1: ELEMENTAL IMPURITY ASSESSMENT

Analytical Method: BSI-ATM-0061, Method Validation Report: BSI-RPT-0590
 Degradation and Impurity Protocol: BSI-PRL-0415
 Degradation and Impurity Report: BSI-RPT-1100
 Manufacturing Process: BSI-PRL-0475 and BSI-PRL-0529
 Parenteral Specifications (10 g/day MDD)

Element	Class	¹ Limits 1.0J Target ppm ($\mu\text{g/g}$)	Limits 0.1J ppm ($\mu\text{g/g}$)
Antimony (Sb)	3	1.8	0.18
Barium (Ba)	3	14	1.4
Molybdenum (Mo)	3	1.0	0.10
Copper (Cu)	3	0.50	0.05
Tin (Sn)	3	12	1.2
Chromium (Cr)	3	1.0	0.10
Aluminum (Al)	4	8.0	0.80
Calcium (Ca)	4	15	1.5
Iron (Fe)	4	4.0	0.40
Potassium (K)	4	40	4.0
Magnesium (Mg)	4	4.0	0.40
Manganese (Mn)	4	0.50	0.05
Sodium (Na)	4	40	4.0
Zinc (Zn)	4	4.0	0.40
Bismuth (Bi)	Not Applicable	4.0	0.40
Strontium (Sr)	Not Applicable	4.0	0.40

¹Limits derived from Analytical Method BSI-ATM-0061

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 3 of 9

Printed By: CARLY.GUZZI . Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 2: ELEMENTAL IMPURITY ASSESSMENT

Element	Limits 1.0J Target ppm ($\mu\text{g/g}$)	RM Result Lot: RMAT-0222-0098 ppm ($\mu\text{g/g}$)	RM Result Lot: RMAT-0222-0099 ppm ($\mu\text{g/g}$)	Analytical Test Method: BSI-ATM-0061, Degradation and Impurity Protocol: BSI-PRL-0415 Degradation and Impurity Report: BSI-RPT-1100 Manufacturing Process: BSI-PRL-0475 and BSI-PRL-0529 Parenteral Specifications (10g/day MDD)		
				RM Result Lot: RMAT-0222-0100 ppm ($\mu\text{g/g}$)	ML Result Lot: CSMH-0122-00033-PV ML ppm ($\mu\text{g/g}$)	ML Result Lot: PMAT-0322-00375 ppm ($\mu\text{g/g}$)
Cd	0.04	<0.004	<0.004	<0.004	<0.004	<0.004
Pb	0.10	<0.01	<0.01	<0.01	<0.01	<0.01
As	0.30	<0.03	<0.03	<0.03	<0.03	<0.03
Hg	0.06	0.04	0.03	0.04	<0.018	<0.018
Co	0.10	<0.01	<0.01	<0.01	<0.01	<0.01
V	0.20	<0.02	<0.02	<0.02	<0.02	<0.02
Ni	0.40	<0.04	0.06	0.07	<0.04	<0.04
Tl	0.16	<0.016	<0.016	<0.016	<0.016	<0.016
Au	2.0	<0.20	<0.20	<0.20	<0.20	<0.20
Pd	0.20	<0.02	<0.02	<0.02	<0.02	<0.02
Ir	0.20	<0.02	<0.02	<0.02	<0.02	<0.02
Os	0.20	<0.02	<0.02	<0.02	<0.02	<0.02
Rh	0.20	<0.02	<0.02	<0.02	<0.02	<0.02
Ru	0.20	<0.02	<0.02	<0.02	<0.02	<0.02
Se	1.0	<0.10	<0.10	<0.10	<0.10	<0.10
Ag	0.20	<0.02	<0.02	<0.02	<0.02	<0.02
Pt	0.20	<0.02	<0.02	<0.02	<0.02	<0.02

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 4 of 9

Printed By: CARLY.GUZZI , Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 2: ELEMENTAL IMPURITY ASSESSMENT

Element	Limits 1.0J Target ppm ($\mu\text{g/g}$)	RM Result Lot: RMAT-0222-0098 ppm ($\mu\text{g/g}$)	RM Result Lot: RMAT-0222-0099 ppm ($\mu\text{g/g}$)	RM Result Lot: RMAT-0222-0100 ppm ($\mu\text{g/g}$)	ML Result Lot: CSMH-0122-00033-PV ML ppm ($\mu\text{g/g}$)	ML Result Lot: PMAT-0322-00375 ppm ($\mu\text{g/g}$)
Li	5.0	<0.50	<0.50	<0.50	<0.50	<0.50
Sb	1.8	<0.18	<0.18	<0.18	<0.18	<0.18
Ba	14	<1.4	<1.4	<1.4	<1.4	<1.4
Mo	1.0	<0.10	<0.10	<0.10	<0.10	<0.10
Cu	0.50	<0.05	<0.05	<0.05	<0.05	<0.05
Sn	12	<1.2	<1.2	<1.2	<1.2	<1.2
Cr	1.0	<0.10	0.15	0.17	<0.10	<0.10
Al	8.0	<0.80	<0.80	<0.80	<0.80	<0.80
Ca	15	<1.5	<1.5	<1.5	<1.5	<1.5
Fe	4.0	3.0	2.0	2.3	<0.40	0.96
K	40	<4.0	<4.0	<4.0	<4.0	<4.0
Mg	4.0	<0.40	<0.40	<0.40	<0.40	<0.40
Mn	0.50	<0.05	<0.05	<0.05	<0.05	<0.05
Na	40	<4.0	<4.0	<4.0	<4.0	<4.0
Zn	4.0	<0.40	<0.40	<0.40	<0.40	<0.40
Bi	4.0	<0.40	<0.40	<0.40	<0.40	<0.40
Sr	4.0	<0.40	<0.40	<0.40	<0.40	<0.40

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 5 of 9

Printed By: CARLY.GUZZI . Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 3: ELEMENTAL IMPURITY ASSESSMENT

Element	Limits 1.0J Target ppm (µg/g)	WC Result Lot: CSMH-0122- 00033-PV WC			Analytical Test Method: BSI-ATM-0061 Degradation and Impurity Protocol: BSI-PRL-0415 Degradation and Impurity Report: BSI-RPT-1100 Manufacturing Process: BSI-PRL-0475 and BSI-PRL-0529 Parenteral Specifications (10g/day MDD)		
		Basket 1 ppm (µg/g)	Basket 2 ppm (µg/g)	Basket 3 ppm (µg/g)	WC Result Lot: CSMH-0122- 00038-PV WC	FG Result Lot: CSMH-0122- 00033-PV	FG Beginning ppm (µg/g)
Cd	0.04	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Pb	0.10	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
As	0.30	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
Hg	0.06	0.05	0.04	0.05	0.04	0.05	0.03
Co	0.10	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
V	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Ni	0.40	0.10	0.10	0.09	0.04	0.11	0.04
Tl	0.16	<0.016	<0.016	<0.016	<0.016	<0.016	<0.016
Au	2.0	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
Pd	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Ir	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Os	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Rh	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Ru	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Se	1.0	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Ag	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Pt	0.20	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 6 of 9

Printed By: CARLY.GUZZI , Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 3: ELEMENTAL IMPURITY ASSESSMENT

Analytical Test Method: BSI-ATM-0061
 Degradation and Impurity Protocol: BSI-PRL-0415
 Degradation and Impurity Report: BSI-RPT-1100
 Manufacturing Process: BSI-PRL-0475 and BSI-PRL-0529
 Parenteral Specifications (10g/day MDD)

Element	Limits 1.0J Target ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122- 00033-PV WC Basket 1 ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122- 00033-PV WC Basket 2 ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122- 00033-PV WC Basket 3 ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122- 00038-PV WC Basket 1 ppm ($\mu\text{g/g}$)	FG Result Lot: CSMH-0122- 00033-PV FG Beginning ppm ($\mu\text{g/g}$)	FG Result Lot: CSMH-0122- 00038-PV FG Beginning ppm ($\mu\text{g/g}$)
Li	5.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Sb	1.8	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18
Ba	14	<1.4	<1.4	<1.4	<1.4	<1.4	<1.4
Mo	1.0	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cu	0.50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Sn	12	<1.2	<1.2	<1.2	<1.2	<1.2	<1.2
Cr	1.0	<0.10	<0.10	<0.10	<0.10	0.12	<0.10
Al	8.0	<0.80	<0.80	<0.80	<0.80	<0.80	<0.80
Ca	15	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
Fe	4.0	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
K	40	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Mg	4.0	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Mn	0.50	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Na	40	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Zn	4.0	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Bi	4.0	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40
Sr	4.0	<0.40	<0.40	<0.40	<0.40	<0.40	<0.40

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 7 of 9

Printed By: CARLY.GUZZI , Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 4: ELEMENTAL IMPURITY ASSESSMENT

		Analytical Test Method: BSI-ATM-0061 Degradation and Impurity Protocol: BSI-PRL-0415 Degradation and Impurity Report: BSI-RPT-1100 Manufacturing Process: BSI-PRL-0475 and BSI-PRL-0529 Parenteral Specifications (10g/day MDD)	
Element	Limits 1.0J Target ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122-00038-PV WC Basket 2 ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122-00038-PV WC Basket 3 ppm ($\mu\text{g/g}$)
Cd	0.04	<0.004	<0.004
Pb	0.10	<0.01	<0.01
As	0.30	<0.03	<0.03
Hg	0.06	0.04	0.04
Co	0.10	<0.01	<0.01
V	0.20	<0.02	<0.02
Ni	0.40	0.04	0.04
Tl	0.16	<0.016	<0.016
Au	2.0	<0.20	<0.20
Pd	0.20	<0.02	<0.02
Ir	0.20	<0.02	<0.02
Os	0.20	<0.02	<0.02
Rh	0.20	<0.02	<0.02
Ru	0.20	<0.02	<0.02
Se	1.0	<0.10	<0.10
Ag	0.20	<0.02	<0.02
Pt	0.20	<0.02	<0.02

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 8 of 9

Printed By: CARLY.GUZZI . Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.

TABLE 4: ELEMENTAL IMPURITY ASSESSMENT

		Analytical Test Method: BSI-ATM-0061 Degradation and Impurity Protocol: BSI-PRL-0415 Degradation and Impurity Report: BSI-RPT-1100 Manufacturing Process: BSI-PRL-0475 and BSI-PRL-0529 Parenteral Specifications (10g/day MDD)	
Element	Limits 1.0J Target ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122-00038-PV WC Basket 2 ppm ($\mu\text{g/g}$)	WC Result Lot: CSMH-0122-00038-PV WC Basket 3 ppm ($\mu\text{g/g}$)
Li	5.0	<0.50	<0.50
Sb	1.8	<0.18	<0.18
Ba	14	<1.4	<1.4
Mo	1.0	<0.10	<0.10
Cu	0.50	<0.05	<0.05
Sn	12	<1.2	<1.2
Cr	1.0	<0.10	<0.10
Al	8.0	<0.80	<0.80
Ca	15	<1.5	<1.5
Fe	4.0	<0.40	<0.40
K	40	<4.0	<4.0
Mg	4.0	<0.40	<0.40
Mn	0.50	<0.05	<0.05
Na	40	<4.0	<4.0
Zn	4.0	<0.40	<0.40
Bi	4.0	<0.40	<0.40
Sr	4.0	<0.40	<0.40

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying

Page 9 of 9

Printed By: CARLY.GUZZI . Printed On 12 Jun 2023 , 10:50:17 am . This document is effective until the date of next revision or archival.