DUN: BSI-RPT-0883 , , Revision: 1.0 , Effective Date: 04 Apr 2023 ;



BIOSPECTRA VALIDATION EXTERNAL REPORT

VALIDATION REPORT FOR THE MANUFACTURE OF:

TREHALOSE, DIHYDRATE

TO BE MANUFACTURED AS THE FOLLOWING CODES:

TRED-32XX OR BELOW COMPLIANCE GRADE

TO BE MANUFACTURED AT:

BIOSPECTRA, INC., 100 MAJESTIC WAY BANGOR, PENNSYLVANIA, 18013

IN COMPLIANCE WITH THE STANDARDS OF:

ICH Q7 GOOD MANUFACTURING PRACTICE GUIDE

MANUFACTURED TO BE SUITABLE FOR USE AS:

AN EXCIPIENT

TABLE OF CONTENTS

1.	INTRODUCTION:	3
2.	OBJECTIVE:	3
3.	SCOPE:	3
4.	EXECUTIVE SUMMARY:	4
5.	PROCESS FLOW DIAGRAM:	5
6.	MANUFACTURING OBSERVATIONS:	5
7.	ANALYSIS:	5
	TABLE 1: CQA ANALYTICAL RESULTS FOR TREHALOSE, DIHYDRATE VALIDATION BATCHES	6
8.	ADDITIONAL INFORMATION:	6
	TABLE 2: STABILITY ANALYSIS	7
9.	CONCLUSION:	8

1. INTRODUCTION:

The validation of a manufacturing process used to produce Excipients is a requirement under ICH Q7 Good Manufacturing Practice Guide. This external validation report describes the process as performed using, Process Suite N02 located in Zone N of the Bangor, PA facility. This process Suite is intended to manufacture excipients in accordance with ICH Q7. The FDA defines validation, specifically process validation as:

"The collection and evaluation of data, from the process design state through commercial production, which establishes scientific evidence that a process is capable of consistently delivering quality product."

This Trehalose, Dihydrate Validation Study was a concurrent validation to ensure that the Trehalose, Dihydrate process conforms to the pre-established critical process parameters as described in the validation protocol. This concurrent validation study allows for the release of the validation batch for commercial distribution based on approval of the executed batch record and documented evidence that the batch conforms to the finished goods specifications before release. This validation required three batches of Trehalose, Dihydrate to be manufactured.

2. OBJECTIVE:

The objective of this External Validation Report is to verify and assure that the manufacturing process for Trehalose, Dihydrate consistently produces material that meets a set of pre-determined specifications as listed in Table 2. This validation was performed due to utilizing a new raw material supply chain and initiated by Bangor Change Control BCC21-13 Trehalose Raw Material Supply Chain.

This validation included three batches of Trehalose, Dihydrate, manufactured according to the current revision of the Batch Record. This validation report will summarize the manufacture of the three batches within the validation study. As stated in the protocol, representative samples were submitted to the QC Laboratory and were tested against Finished Good specifications. This was conducted to verify that the process is capable of consistently producing material that meets Finished Good Specifications.

3. SCOPE:

This Report applies to the manufacturing process of Trehalose, Dihydrate, Bio Excipient Grade, within this validation study. This manufacturing process includes the following process steps: charging the raw materials, mixing and heating, filtering, cooling to crystallize, separating the wet crystals, washing of the crystallized product, drying, packaging, and testing of the finished product. Specifications and approval requirements for all Raw Materials (RM) and components have been created; therefore, these RM and components are not covered by this Report except that only approved RM and components were used.

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.

4. EXECUTIVE SUMMARY:

The Validation Study for Trehalose, Dihydrate was performed due to change control referenced as BCC21-13. This change was approved for the utilization of a new raw material supply chain. Because the change control pertains to just the supply chain, the process steps are unaffected by this change control. This information is detailed in the supplied change notification and approved change control form.

The Trehalose, Dihydrate manufacturing process is a manufacturing/purification process with Critical Process Parameters as detailed in the Validation Protocol. The CPP were developed based on the FMEA analysis conducted for the process and were found to be in accordance with BioSpectra's Manufacturing Process Validation Master Plan. The utilities and process equipment used in the manufacture of this product have been qualified in accordance with BioSpectra's Equipment Qualification Master Plan. The manufacturing for all three batches manufactured for this validation study were deemed successful and these batches will be released in accordance with the Validation plan and the approval of all related manufacturing and QC documentation.

5. PROCESS FLOW DIAGRAM:



6. MANUFACTURING OBSERVATIONS:

The three Trehalose, Dihydrate batches that were manufactured in accordance with the current Trehalose, Dihydrate Bio Excipient Grade Batch Record DCN:BSI-MPR-0024 v.3.0 and have met the requirements. The manufacturing observations for the three Trehalose, Dihydrate batches manufactured and used for this validation study of material lot numbers, TRED-0121-00002-PV, TRED-0121-00003-PV and TRED-0121-00004-PV met the pre-established validation parameters.

7. ANALYSIS:

The Trehalose Dihydrate batches that were manufactured in accordance with the current Trehalose Dihydrate Bio Excipient Grade Batch Record, DCN:BSI-MPR-0024 v.3.0 was analyzed in accordance with approved Trehalose Testing Methods, DCN:BSI-ATM-0027 and has met the BioSpectra analytical requirements associated with Product Code:TRED-3250. The results can be found in Table 3.

Table 1: CQA Analytical Results for Trehalose, Dihydrate Validation Batches

M	lethod	Specification	Validation Batch 1: TRED-0121-00002- PV	Validation Batch 2: TRED-0121-00003- PV	Validation Batch 3: TRED-0121-00004- PV
Appearai	nce and Color	White to Off-White Crystalline powder	White Crystalline powder	White Crystalline powder	White Crystalline powder
A	Assay	98.0% to 101.0%	99.6%	100.3%	100.8%
Color and C	larity of Solution	A720nm: ≤ 0.050 a.u. A420nm – A720nm: ≤0.100 a.u.	A720 nm: 0.001 A420nm-A720nm: 0.021	A720 nm: 0.002 A420nm-A720nm: 0.014	A720 nm: <0.003 A420nm-A720nm: 0.014
Residual Isopropyl Alcohol		≤ 5000 ppm	<5000 ppm	<5000 ppm	<5000 ppm
Identi	fication A	Passes Test	Passes Test	Passes Test	Passes Test
Identification B		Passes Test	Passes Test	Passes Test	Passes Test
Identification C		Passes Test	Passes Test	Passes Test	Passes Test
Enc	lotoxins	≤2.4 EU/g	<2.4 EU/g	<2.4 EU/g	<2.4 EU/g
Microbial Content	Escherichia coli Salmonella species TAMC TYMC	Absent/g Absent/10g ≤ 100 CFU/g ≤ 100 CFU/g	Absent Absent <10 CFU/g <10 CFU/g	Absent Absent <10 CFU/g <10 CFU/g	Absent Absent <10 CFU/g <10 CFU/g
Water (Karl Fischer)		9.0 to 11.0%	9.8%	9.5%	9.4%

8. ADDITIONAL INFORMATION:

- 8.1. Degradation and Impurity Profile
 - 8.1.1. A Degradation and Impurity profile is performed for this validation. The degradation and impurity profile was completed for this validation study. Refer to BSI-RPT-0798.
- 8.2. Stability Study
 - 8.2.1. The Stability Analysis for Trehalose, Dihydrate consists of an evaluation of the analyses detailed in Table 3. These analyses were selected based on a combination finished goods requirements and Stability Indicating Protocol. The analyses listed below will be performed for each validation batch and 1 batch per year manufactured. Each batch placed on the Long-Term Stability Program will undergo stability analysis at intervals 0, 3, 6, 9, 12, 18, 24, and 36-month.

Table 2: Stability Analysis

Analysis		Stability Specification	
	Appearance	White to Off White Crystalline Powder	
	Assay	98.0-101.0%	
Color a	and Clarity of Solution	A720 ≤0.050 and A420-A720 ≤0.100	
Dextrins, S	Soluble Starch and Sulfite	Passes Test	
Identifi	cation Test A (UATR)	Conforms to Standard	
	Maltotriose (Impurity B)	≤0.5%	
	Total Impurities with RRT < 1.0	≤0.5%	
T	Total Impurities with RRT > 1.0	≤0.5%	
Impurities	Glucose (Impurity A)	≤0.5%	
	Any other Impurities	≤0.2%	
	Sum of Gluose, Maltotriose and Other Impurity	≤1.0%	
pH @ 25 °C Specific Rotation/Optical Rotation Water (Karl Fisher)		4.5 - 6.5	
		+197° to +201° @ 20°C	
		9.0 - 11.0%	

9. CONCLUSION:

BioSpectra has manufactured and validated the Trehalose, Dihydrate manufacturing process, Product Code: TRED-3250 to be compliant with key compliance grades up to and including the Bio Excipient grade. This Bio Excipient Grade classification requires that the excipient be manufactured in accordance with ICH Q7 Good Manufacturing Practice Guide to be suitable for use as a GMP manufactured Excipient. The results obtained during this validation study and subsequent analysis provide evidence that the Trehalose, Dihydrate manufactured using approved process will consistently meet the approved specifications for product code TRED-3250. The utilities and process used in the manufacture of this product have been qualified in accordance with BioSpectra's Equipment Qualification Master Plan. The results reported from the three batches of Trehalose, Dihydrate for this Validation Study provided the evidence necessary to confirm that the approved change for utilization of the new raw material supply chain has not impacted the quality and physical characteristics of Trehalose, Dihydrate. The Trehalose Dihydrate manufacturing process, using Process Suite N02, can be considered an approved, validated process capable of consistently producing Bio Excipient Grade material that meets Finished Good Specifications, TRED-3250. Validation samples of Trehalose Dihydrate will be placed into Long Time Stability and will be reported on annually. The Stability Study does not impact the current retest date or previous stability studies.

Signature Manifest

Document Number: BSI-RPT-0883 **Revision:** 1.0

Title: Trehalose, Dihydrate External Validation 2021 Report

Effective Date: 04 Apr 2023

All dates and times are in US/Eastern.

Trehalose, Dihydrate External Validation 2021 Report

Change Request

Name/Signature	Title	Date	Meaning/Reason
Virginia Pena (VIRGINIA.PENA)	Document Control Technician I	30 Dec 2021, 04:10:14 PM	Approved
Ryan Guindon (RYAN.GUINDON	Associate Director of Developm	04 Jan 2022, 08:00:27 AM	Approved

Departmental Approval

Name/Signature	Title	Date	Meaning/Reason
James Lobb (JAMES.LOBB)	Associate Director of Qualification	31 Mar 2023, 09:38:19 AM	Approved

Author Approval

Name/Signature	Title	Date	Meaning/Reason
Mathew Soika (MATHE)	V.SOIKA) Qualification Specialist	30 Mar 2023, 12:54:49 PM	Approved

Quality Approval

Name/Signature	Title	Date	Meaning/Reason	
Carissa Albert (CARISSA.ALBERT)	Associate Director of Quality	03 Apr 2023, 03:01:41 PM	Approved	

Set Date

Name/Signature	Title	Date	Meaning/Reason
Virginia Pena (VIRGINIA.PENA)	Document Control Technician II	04 Apr 2023, 08:21:35 AM	Approved

Notify

Name/Signature	Title	Date	Meaning/Reason
Virginia Pena (VIRGINIA.PENA)	Document Control Technician II	04 Apr 2023, 08:21:35 AM	Email Sent
Crystal Hamelburg (CRYSTAL.HAMELBURG)	Director of Compliance	04 Apr 2023, 08:21:35 AM	Email Sent
Amy Hosein (AMY.HOSEIN)	Manufacturing Technical Writer 1	04 Apr 2023, 08:21:35 AM	Email Sent
MC User (MCUSER)		04 Apr 2023, 08:21:35 AM	Email Sent
Wendy Santay (WENDY.SANTAY)	Sr. Applications Supervisor- QMS	04 Apr 2023, 08:21:35 AM	Email Sent
Danielle Gathagan (DANIELLE GATHAGAN)	Quality Systems Specialist	04 Apr 2023, 08:21:35 AM	Email Sent
Jamie Storm (JAMIE.STORM)	Sr. Manager, Portfolio Management	04 Apr 2023, 08:21:35 AM	Email Sent
Mathew Soika (MATHEW.SOIKA)	Qualification Specialist	04 Apr 2023, 08:21:35 AM	Email Sent
		04 Apr 2023, 08:21:35 AM	Email Sent

Printed By: DANA.MYLES . Printed On 11 Apr 2023 , 04:03:19 pm . This document is effective until the date of next revision or archival.

DUN: BSI-RP1-0863, , Revision: T.U , Effective Date: 04 Apr 2023.

Alissa Stenlake (ALISSA.STENLAKE) Plant Operations Administrative Specialist