DCN: 16-000249 v.2.0



100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	30-Jan-2017	30-Jan-2020	: Date of Next Review
Prepared By:	Jamie Storm	16-000249 v.1.0	: Supersedes
QA/QC Approval:	Chad Pezoldt	Dora Meissner	: Management Approval
Reason for Revision:	See Revision History in ensur		

6N HCl in IPA

CERTIFICATE OF ANALYSIS

BIO PHARMA GRADE / IH4101- K180

LOT: IH4101-006-1217

Manufacture Date: 12/04/2017

Retest Date: 12/31/2019

	ufacture Date: 12/04/2017 Site: 100 Majestic Way, Bangor PA Packaging Site: 100 Majestic			
Analysis	SPECIFICATION	TEST RESULT		
Appearance and Color	Clear, colourless to slightly yellowish fuming liquid	Clear, colourless to slightly yellowish fuming liq.		
Assay (Acid titration)	\geq 5.9 N	5.9 N		
Identification (Chloride)	Passes Test	Passes Test		
IPEC Compliant GMP Manuf and Research. The material re Pharmaceutical Ingredient, Dr	actured Chemical for use in furth presented by this Certificate of A rug, Drug Product or household i			
Prepared by: <u>H. Benner</u> Date: <u>12/20/17</u>				
Reviewed by: Cuy	in a	Date: 13/30/17		