

100 Majestic Way, Bangor, PA 18013 / www.biospectra.us

Effective Date:	11-Nov-2022	11-Nov-20225	: Date of Next Review
Prepared By:	Amy Hosein	BSI-COA-0049 v.5.0	: Supersedes
QA/QC Approval:	Carissa McCollian	Krista Rehrig	: Management Approval
Reason for Revision:	See Revision History in MasterControl		

CERTIFICATE OF ANALYSIS

MOPS

BIO ULTRA GRADE / NEW CODE MOPS-5201-26

(HISTORICAL CODE MP5201-K025)

LOT: MOPS-0122-00324

$C_7H_{15}NO_4S$ * F.W. 209.26 g/mol. * CAS#: 1132-61-2

Manufacturing/Packaging Date: 11/18/22 Retest Date: 11/30/24

Packaging Site: 100 Majestic Way, Bangor PA, 18013

ANALYSIS		SPECIFICATION	TEST RESULT
Absorbance (0.1 M)	260 nm	0.02 a.u. max.	<0.02 a.u.
Appearance and Color		White / Crystals	White / Crystals
Assay, Dried Basis		99.0% min.	100.1%
Enzymes	DNase	None Detected	None Detected
	RNase	None Detected	None Detected
	Protease	None Detected	None Detected
LOD		1% max.	<1%
pH of 1% solution		2.5 – 4.5	4.3 @ 23.0 °C
pK _a		7.10 – 7.30	7.16
Trace Elements	Arsenic (As)	0.0001% max.	<0.0001%
	Copper (Cu)	0.0001% max.	<0.0001%
	Iron (Fe)	0.0005% max.	<0.0005%
	Lead (Pb)	0.0005% max.	<0.0005%

TEST METHOD REFERENCE: DCN: BSI-ATM-0008

INTENDED USE: Material represented by this Certificate of Analysis is suitable for use as a process chemical. The material represented by this Certificate of Analysis is not suitable to be used as an Excipient, Active Pharmaceutical Ingredient, Drug, Drug Product or Household Item.

Prepared by: Carissa Allert Date: 11/21/22 Job Title: Assoc. Director of Quality

Reviewed by: Joan Rehrig Date: 11/21/22 Job Title: QA Specialist

The information contained herein is the confidential property of BioSpectra. The recipient is responsible for its safe-keeping and the prevention of unauthorized appropriation, use, disclosure and copying.